

STATE: Rajasthan



DATED: 15/6/2010

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET.		
8. Shiv ITC, Hanuman Mandir Ke Samne, Gajanpura, Kota Baran main Road, Dist. Baran Rajasthan  DGET-6/20/31/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/5/2010 w.e.f. Aug 2010
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
9. Bhardwas ITC, Vill & Post. Banskho Teh. Bassi Dist. Jaipur Pin- 303305 Rajasthan  DGET-6/20/70/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-17/5/2010 w.e.f. Aug 2010
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
10. Arya Bhatta ITC, Seeswali Road, Anta Dist. Baran Rajasthan  DGET-6/20/30/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/5/2010 w.e.f. Aug 2010
	COPA	2(1+1)	NC	NR	NR	
11. Shree Balaji ITC, Ward No. 5, Chole Power House Ke Pass Sikar Road, Danta, Dist. Sikar Rajasthan  DGET-6/20/6/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. One Unit Total 3(2+1)*	Addl. One Unit Total 3(2+1)*	SCIR-18/5/2010 w.e.f. Aug 2010 *Addl. One Unit rejected Instructor having SCV certificate.
12. Vishwakarama Kaushal ITC, Barlut, Dist. Sirohi Rajasthan  DGET-6/20/12/2010-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-20/5/2010 w.e.f. Aug 2010

-3-

Sunil  
SUNIL KUMAR / Assistant Director Training  
जो. ई. ए. ए. सी.  
T & E

Affiliation with NCVT

①



STATE: Rajasthan

DATED: 28/1/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementar Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
11. Shree L.R. Memorial ITC Ward No. 17, Mandaw, Dist. Jhunjhuna, Pin- 333704 Rajasthan DGET-6/20/13/2010-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/11/2009 w.e.f. Feb 2010
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Insurance Agent	2(1+1)	NR	NC	NC	
12. Vishwakarma Kaushal ITC, Barlot, Dist. Sirohi Rajasthan DGET-6/20/12/2010-TC New Pvt.	Electrician ✓	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-23/10/2009 w.e.f. Feb 2010
	Fitter ✓	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	NR	NC	NC	
13. Indira Gandhi ITC, VIII, Gunavta, Teh. Amer Dist. Jaipur Rajasthan DGET-6/20/15/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-25/11/2009 w.e.f. Feb 2010
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Health sanitary Inspector	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Pre/Preparation School Management Assistant.	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
14. S.D.S. ITC, Near N.H. - 8, Pathera Road, Patheri (Kotputli), Dist. Jaipur Pin- 303107 Rajasthan DGET-6/20/20/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-12/11/2009 w.e.f. Feb 2010
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	

*Sumit*

Principal  
Vishwakarma Kaushal ITC  
Barlot (Sirohi)

Assistant Director Training  
विश्वकर्मा कौशल  
मंत्रालय, डी.जी.ई.एन.डी.  
Government D.G.E & T.



STATE: Rajasthan

DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT		
56 Govt. ITI, Dhayala Road, Nathdwara Dist. Rajsamand Rajasthan  DGET-6/20/1/97-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-18/7/2012 SIR-31/8/2012 w.e.f. Aug 2012	
	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)		
	Welder (G&E)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)		
57 Vishwakarma Kaushal Private ITI, Vill. Barlut, Dist. Sirohi Rajasthan  DGET-6/20/12/2010-TC	Wireman	2(1+1)	2(1+1)	2(1+1)	SCIR-30/3/2012 SIR-7/6/2012 SIR-14/8/2012 SIR-20/7/2012 w.e.f. Aug 2012	
	Welder (G&E)	2(1+1)	2(1+1)	2(1+1)		
	Electronics Mech.	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)		
	Cutting & Sewing	2(1+1)	2(1+1)	2(1+1)		
	Electrician	2(1+1)	2(1+1)	2(1+1)		

beneficial to  
hc  
25/9/2012

महेश्वर  
28/9/12

एस. के. खिमान  
प्रशिक्षण अधिकारी/Training Officer  
रेजिस्ट्रार एवं प्रशिक्षण निदेशक, DGET.  
भारत सरकार, नई दिल्ली  
Ministry of Labour, Government of India  
New Delhi